



Vaccination:

What Everyone Needs to Know...



Disclaimer



This Vx Education workshop is intended to be used for educational purposes only and should NOT be construed as medical advice. Each individual family is responsible to make their own decisions, and the information herein should serve as a help in that process. The information contained is based strictly on the research of the author, Dr. Sharla B. Robertson, and NOT any particular professional group, organization, or licensing entity.



Caution



- ◆ This information is hard to hear for most people
- ◆ You will be tempted to condemn yourself if you have a child whom you have vaccinated
- ◆ Remember that you are educating yourself from this point forward
- ◆ Do NOT fall into that temptation! You very, very likely did the best you could with what information you had & what you were told.




MYTH a widely held but false belief or idea

TRUTH that which is true or
in accordance with fact or reality

**And since Covid, I believe
the MYTH is breaking
and the TRUTH is more evident than ever.**


You can lead a
human to
knowledge but
you can't make
him think.



Where we're going tonight...



1. What is the current situation with laws on vaccines in America & TX?
2. What about vaccines recommended for pregnant women?
3. What happened in 1986 that changed everything with vaccine law in America?
4. What about the diseases supposedly eradicated by vaccines?
5. How does our Immune system actually work?
6. How do vaccines work?
7. How are new vaccines developed & how can we know if vaccines are safe and/or effective?
8. COVID-19 vaccines
9. What goes into a vaccine, what potential side-effects exist with vaccines & are some individuals higher risk than others?
10. How does the overall health of the vaccinated compare with unvaccinated?
11. What about detoxing if you've received vaccines and what if you or your child are vaccine-injured?
12. How do you build your family's immune system so that it can handle any threat? + Vax Alternatives & Alt. Schedules





#1

Current Vaccine Law
in America & Texas



1940

DTP

SMALLPOX

**some children got 4 shots before the age of 2. NEVER with more than 1 shot per visit



1980

DTP (2 months)

Polio (2months)

DTP (4 months)

Polio (4 months)

DTP (6months)

Polio (6months)

MMR (12 months)

DTP (18 months)

DTP (5 years old)

**children got 8 shots before age 2 and NEVER with more than 2 shots per visit

CDC IMMUNIZATION SCHEDULE

IN UTERO TO 12 MONTHS

1986

DTP (2 months)

OPV (2 months)

DTP (4 months)

OPV (2 months)

DTP (6 months)

For the first
time in
HISTORY
the # of
vaccines on
the standard
CDC
Schedule
has gone
DOWN



2026

TDaP (in utero)

Flu (in utero)

Covid-19 (in utero)

~~Hep B (in utero)~~

RSV (in utero or birth)

~~Hep B (birth)~~

~~Hep B (1 month)~~

~~RV (2 months)~~

DTaP (2 months)

Hib (2 months)

PCV15 (2 months)

IPV (2 months)

~~RV (4 months)~~

DTaP (4 months)

Hib (4 months)

PCV15 (4 months)

IPV (4 months)

~~RV (6 months)~~

DTaP (6 months)

Hib (6 months)

PCV15 (6 months)

IPV (6 months)

~~Hep B (6 months)~~

~~Flu (6 months)~~

~~Covid-19 (6 months)~~

~~Flu (7 months)~~

~~Covid-19 (7 months)~~

~~Covid-19 (9 months)~~

Hib (12 months)


PCV (12 months)

~~Hep A (12 months)~~

VAR (12 months)

MMR (12 months)

Vaccines
marked out
were
previously on
the 2025
schedule



2026 HHS Decision to Decrease the total # of Disease for which children should routinely be vaccinated



@thehighwirenews

CDC Continues Universal Recommendations For:

- Measles
- Mumps
- Rubella
- Polio
- Pertussis
- Tetanus
- Diphtheria
- Haemophilus influenzae type B (Hib)
- Pneumococcal disease
- HPV
- Chickenpox

2026 HHS Decision for High-Risk and Shared Decision- Making (parent + pediatrician)



@thehighwirenews

Vaccines Now Recommended for “Certain High-Risk Groups”:


- RSV
- Hepatitis A
- Hepatitis B
- Dengue
- Meningococcal ACWY
- Meningococcal B

Shared Decision-Making List:

- COVID-19
- Influenza
- Hepatitis A
- Hepatitis B
- Meningococcal
- Rotavirus

Hepatitis B

(Routinely given at Birth and at 2 months old,
NOW on the “shared-decision” CDC list)



CDC's own **Fact Sheet for Hepatitis B risk:**

- *injection drug users,*
- *homosexual men,*
- *sexually active heterosexuals,*
- *infant/children of immigrants from disease-endemic areas,*
- *infants born to infected mothers, health care workers and hemodialysis patients*
- **NOT BABIES born to mothers in America w/o HepB**

2026 HHS Decision: Standard CDC Childhood Vaccine Schedule



Therefore, the Acting CDC Director should update the childhood immunization schedule to reflect these three distinct components:

IMMUNIZATIONS RECOMMENDED FOR ALL CHILDREN

Vaccine and other immunizing agents	Birth	1 mo	2 mos	4 mos	6 mos	7 mos	8 mos	12 mos	15 mos	18 mos	19 mos	20–23 mos	2–3 yrs	4–6 yrs	7 yrs	8 yrs
Diphtheria, tetanus, acellular pertussis (DTaP < 7 yrs)			1st dose	2nd dose	3rd dose				4th dose					5th dose		
Tetanus, diphtheria, acellular pertussis (Tdap ≥ 7 yrs)																
Haemophilus influenzae type b (Hib)			1st dose	2nd dose	3rd dose			3rd / 4th dose								
Pneumococcal conjugate (PCV15, PCV20)			1st dose	2nd dose	3rd dose			4th dose								
Inactivated poliovirus (IPV < 18 yrs)			1st dose	2nd dose	3rd dose									4th dose		
Measles, mumps, rubella (MMR)								1st dose						2nd dose		
Varicella (VAR)								1st dose						2nd dose		
Human papillomavirus (HPV)																

Vaccine and other immunizing agents	9 yrs	10 yrs	11 yrs	12 yrs	13 yrs	14 yrs	15 yrs	16 yrs	17 yrs
Diphtheria, tetanus, acellular pertussis (DTaP < 7 yrs)									
Tetanus, diphtheria, acellular pertussis (Tdap ≥ 7 yrs)			1st dose						
Haemophilus influenzae type b (Hib)									
Pneumococcal conjugate (PCV15, PCV20)									
Inactivated poliovirus (IPV < 18 yrs)									
Measles, mumps, rubella (MMR)									
Varicella (VAR)									
Human papillomavirus (HPV)			1 dose						



Some children should get a dose at this age depending on the vaccine brand.

<https://www.hhs.gov/sites/default/files/assessment-of-the-us-childhood-and-adolescent-immunization-schedule-compared-to-other-countries.pdf>

2026 HHS Decision: High-Risk Group CDC Childhood Vaccine Schedule



IMMUNIZATIONS RECOMMENDED FOR CERTAIN HIGH-RISK GROUPS OR POPULATIONS

Vaccine and other immunizing agents	Birth	1 mo	2 mos	4 mos	6 mos	7 mos	8 mos	12 mos	15 mos	18 mos	19 mos	20-23 mos	2-3 yrs	4-6 yrs	7 yrs	8 yrs
Respiratory syncytial virus (RSV-mAb) ¹	1 dose															
Respiratory syncytial virus (RSV-mAb) ²	1 dose						2nd dose									
Hepatitis B (HepB) ³	1st dose	2nd dose			3rd dose											
Dengue ⁴																
Meningococcal ACWY ⁵		2, 3 or 4 dose series														
Meningococcal B ⁶																
Hepatitis A (HepA) ⁷					1 dose											

Vaccine and other immunizing agents	9 yrs	10 yrs	11 yrs	12 yrs	13 yrs	14 yrs	15 yrs	16 yrs	17 yrs
Respiratory syncytial virus (RSV-mAb) ¹									
Respiratory syncytial virus (RSV-mAb) ²									
Hepatitis B (HepB) ³									
Dengue ⁴	3 dose series								
Meningococcal ACWY ⁵									
Meningococcal B ⁶		1 dose							
Hepatitis A (HepA) ⁷									

¹ All children whose mother did not have the vaccine should get one dose.

² High-risk children, such as those with chronic lung disease, should receive a second dose at ages 8 to 19 months.

³ Vaccination recommended for infants born to women who tested positive for the hepatitis B virus or whose status is unknown.

⁴ Recommended ONLY if living in areas with endemic dengue AND with a laboratory confirmation of previous dengue infection.

⁵ For high-risk groups (e.g., those with anatomic or functional asplenia or HIV infection), those traveling to countries with hyperendemic or epidemic meningococcal disease, and first-year college students living in residential housing, vaccination is recommended.

⁶ Recommended for high-risk groups, e.g., with anatomic or functional asplenia, and during outbreaks.

⁷ Vaccination recommended for international travel to areas with high or intermediate hepatitis A endemicity.

<https://www.hhs.gov/sites/default/files/assessment-of-the-us-childhood-and-adolescent-immunization-schedule-compared-to-other-countries.pdf>

2026 HHS Decision: “Shared Clinical Decision-Making” CDC Childhood Vaccine Schedule



IMMUNIZATIONS BASED ON SHARED CLINICAL DECISION-MAKING

Vaccine and other immunizing agents	Birth	1 mo	2 mos	4 mos	6 mos	7 mos	8 mos	12 mos	15 mos	18 mos	19 mos	20–23 mos	2–3 yrs	4–6 yrs	7 yrs	8 yrs
Rotavirus (RV): RVI (2-dose series), RV5 (3-dose series)			1st dose	2nd dose	3rd dose											
COVID-19 (1vCOV-mRNA, 1vCOV-aPs)					2 doses first year, then 1 dose annually								1 dose annually			
Influenza (IIV3, ccIIV3) OR Influenza (LAIV3)					2 doses first year, then 1 dose annually								2 doses first year, then 1 dose annually			
Hepatitis A (HepA)								2-dose series								
Hepatitis B (HepB) *			1st dose	2nd dose	3rd dose											
Meningococcal ACWY																
Meningococcal B																

Vaccine and other immunizing agents	9 yrs	10 yrs	11 yrs	12 yrs	13 yrs	14 yrs	15 yrs	16 yrs	17 yrs
Rotavirus (RV): RVI (2-dose series), RV5 (3-dose series)									
COVID-19 (1vCOV-mRNA, 1vCOV-aPs)									
Influenza (IIV3, ccIIV3) OR Influenza (LAIV3)	1 dose annually								
Hepatitis A (HepA)									
Hepatitis B (HepB) *									
Meningococcal ACWY			1st dose					2nd dose	
Meningococcal B								2 or 3 doses	




Some children should get a dose at this age depending on the vaccine brand.

* For parents deciding whether to vaccinate for HepB in infants born to women who tested negative for the hepatitis B virus, it is suggested that the initial dose is administered no earlier than 2 months of age.

<https://www.hhs.gov/sites/default/files/assessment-of-the-us-childhood-and-adolescent-immunization-schedule-compared-to-other-countries.pdf>

State Vaccination Exemptions



National Vaccine Information Center

Your Health. Your Family. Your Choice.

www.NVIC.org & www.NVICAdvocacy.org

<https://www.nvic.org/law-policy-state/vaccine-laws-texas>

Updated 06/2019




#2

What about Vaccines
during Pregnancy?




Vaccines During Pregnancy



- **FACT:** *The Food and Drug Administration (FDA) lists Influenza and Tdap vaccines as either Pregnancy Category B or C biologicals,¹⁵ which means that adequate testing has **NOT** been done in humans to demonstrate safety for pregnant women and **it is not known whether the vaccines can cause fetal harm or affect reproduction capacity**. The manufacturers of influenza and Tdap vaccines state that human toxicity and fertility studies are inadequate and warn that the **influenza and Tdap vaccines should "be given to a pregnant woman only if clearly needed."**^{16, 17, 18}*

Vaccines During Pregnancy

A pregnant woman with dark hair, wearing a red sleeveless dress, is shown from the side, holding her belly. The background is a soft-focus outdoor scene with greenery.

■ CDC.GOV Recommends:

■ Covid-19

- [https://www.thelancet.com/journals/laninf/article/PIIS1473-3099\(22\)00443-1/fulltext](https://www.thelancet.com/journals/laninf/article/PIIS1473-3099(22)00443-1/fulltext)

■ RSV (If you're weeks 32-36)

■ Flu (contains Thimerosal as preservative)

■ Tdap (Tetanus/Diphtheria/Pertussis)

- Pertussis = Whooping Cough

https://www.cdc.gov/vaccines-pregnancy/recommended-vaccines/index.html#cdc_generic_section_2-vaccines-during-pregnancy

References:



Drugs.com. FDA Pregnancy Categories. Drugs.com October 2013.

NVIC.org. Influenza Vaccine Package Inserts (2013-2014): Important Information from Manufacturers. NVIC 2013.

Sanofi Pasteur. Adacel (Tetanus Toxoid, Reduced Diphtheria Toxoid and Acellular Pertussis Vaccine, Adsorbed) Full Prescribing Information. Use in Specific Populations: 8.1 Pregnancy Category C. Sanofi Pasteur April 2013.

Glaxo-Smith Kline. BOOSTRIX (Tetanus Toxoid, Reduced Diphtheria Toxoid and Acellular Pertussis Vaccine, Adsorbed) Full Prescribing Information. Specific Populations: 8.1 Pregnancy Category B.

FDA has NO records in response to request for copies of clinical trials relied upon by FDA when approving use of these vaccines by PREGNANT WOMEN.

<https://www.icandecide.org/wp-content/uploads/2019/09/ICAvFDA-Resolved-Court-Filed-Copy-1.pdf>

**UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK**

INFORMED CONSENT ACTION NETWORK,

Plaintiff,

-against-

UNITED STATES FOOD AND DRUG
ADMINISTRATION

Defendant.

**NOTICE OF VOLUNTARY
DISMISSAL PURSUANT
TO F.R.C.P. 41(a)(1)(A)(i)**

Case No. 18-cv-11237-VEC

WHEREAS, plaintiff Informed Consent Action Network (“ICAN”) requested the following records from defendant United States Food & Drug Administration (“FDA”) pursuant to the Freedom of Information Act (“FOIA”): **“A copy of the report for each clinical trial relied upon by the FDA when approving for use by pregnant women any influenza vaccine currently approved by the FDA.”**

WHEREAS, after ICAN appealed, the FDA responded, in relevant part, as follows:



These requests sought the clinical trials relied upon by the FDA prior to approving any currently licensed influenza or Tdap vaccine for use in pregnant women as an indicated use. ... We have no records responsive to your requests.



#3

What happened in
1986 that changed
everything with
vaccines in America?



1986 National Vaccine Injury Compensation Program (NVICP)

<https://www.hrsa.gov/vaccine-compensation/index.html>



- The Vaccine Injury Compensation Trust Fund provides funding for the **NVICP** to compensate vaccine-related injury or death claims for covered vaccines administered on or after October 1, 1988.
- Vaccine companies were losing on average \$20 for every \$1 of profit prior to 1986, when asked by President Reagan why they won't just make them safe, their reply was "Vaccines are Unavoidably Unsafe"
- NVICP is Funded by a \$0.75 excise tax on all vaccines recommended by the CDC now


1986 National Vaccine Injury Compensation Program (NVICP)

<https://www.hrsa.gov/vaccine-compensation/index.html>




- This LAW changed the classification from Vaccines from a “Medical Product” to a “Biologic” which then exempted vaccines from safety testing
- Vaccine manufacturers can no longer be sued for any reaction nor liability of any sort for a health condition
- Doctors cannot be sued
- Every vaccinating person pays for their own compensation when they are injured
- All vaccine injuries must be reported to VAERS

What are the implications?




- No advertising expense, because the general population is under the assumption that vaccines are required, and their doctors/nurses are telling them so
- Can't be sued, so no loss there whatsoever
- No specific safety testing required
 - Saving not only massive amounts of MONEY but TIME also

Since 1988,
\$3.4 billion in federal
vaccine injury
compensation
has been paid to
victims of vaccine
related injuries and
death.



National Vaccine Injury Compensation Program



Go to

www.1986theact.com

To watch the
documentary

By Andrew Wakefield

\$12.99

MUST LISTEN/WATCH!!!!!!!!!!!!!!



Podcast Episode

#1999 - Robert Kennedy, Jr.

The Joe Rogan Experience

Jun 15 · 3 hr 5 min left



Episode Description

Robert F. Kennedy, Jr. is an attorney, founder of the Waterkeeper Alliance and Children's Health Defense, author, and 2024 candidate for the office of the President of the United States of America.

www.kennedy24.com

MUST LISTEN/WATCH!!!!!!!!!!!!!!

Home / Newsletter / 1986 Myths vs Facts

1986 National Childhood Vaccine Injury Act: MYTH vs. FACT

By Barbara Loe Fisher

Published January 04, 2024 in Government

[f](#) [t](#) [p](#) [e](#) [+](#) [+](#) [+](#) + Share This Article



The 1986 National Childhood Vaccine Injury Act created by members of Congress after more than four years of deliberation with vaccine stakeholders, including parents of vaccine injured children, medical trade associations, public health agencies, vaccine manufacturers, and Administration officials, was signed into law as part of an Omnibus health bill by President Ronald Reagan on Nov. 14, 1986. The Act's provisions specifically applied to federally licensed and recommended vaccines for children routinely mandated by states for school attendance.

[1986 National Childhood Vaccine Injury Act \(with subsequent amendments attached after the law was passed by Congress\).](#)

Interview with Barbara Lowe Fisher and Del Bigtree from Jan. 4, 2024

View it for FREE here:

2 hrs. 18 min.

<https://www.nvic.org/newsletter/jan-2024/1986-myths-vs-facts>






#4

What about the
diseases supposedly
eradicated by
vaccines?




Wait a minute...What about Polio?




- 1958 –criteria for diagnosing **Polio** changed.
- **influenza** or **meningitis** were possible diagnoses, which contributed to Polio #'s declining.
- It was concluded that the polio vaccine was the “only” reason that the disease declined, even though it was declining on it's own BEFORE the vaccine was introduced. Since polio was all but eradicated, then children who had similar symptoms were now diagnosed with Meningitis.


Whooping Cough



Diphtheria




Measles




Scarlet Fever



Typhoid Fever



Polio




**Death
Rates
BEFORE
mass
vaccination
was
introduced**

Lawrence Solomon: The untold story of measles

Several decades following the vaccine's introduction, the measles death rate rose, largely because the vaccine made adults, expectant mothers and infants more vulnerable

U.S. MEASLES MORTALITY RATES

RATE PER 100,000 POPULATION




Measles vaccines were introduced in the US in 1963

SOURCE: VITAL STATISTICS RATES IN THE UNITED STATES


ANDREW BARR / NATIONAL POST

Measles “Outbreak” 2014-2015



- 668 cases
- In 27 states
- That’s an average of 24.7 people per state contracted Measles
- California had 110 cases, 55% were at least partially or fully vaccinated people
- <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6406a5.htm>

The Myth of Herd Immunity



- The original meaning of “Herd Immunity” referred ONLY to diseases contracted NATURALLY...not through vaccines
- The MAX life span of vaccines is 2-10 years
- Baby-boomers were not even vaccinated for $\frac{1}{2}$ of theses diseases, if the lifespan is a max of 10 years and they did not have boosters...guess what???
50% of America is NOT immunized!
- REF: Dr. Russell Blaylock (Neurologist)



#5

How does our immune system actually work?



2 Branches of the Immune System



Type 1

CELL MEDIATED

VIRUS INFECTS

WHITE BLOOD CELLS ATTACK

GET SICK



Type 2

HUMORAL

ANTIBODIES MADE

FAMILIAR VIRUSES TAGGED


NO REPEAT SICKNESS

2 Branches of the Immune System



■ Type 1 “Cell Mediated” Immunity


- Thymus, Tonsils, Adenoids, Spleen, Lymph nodes & Lymph system
- Protects against viral, bacterial & fungal infections
- This is also VITAL for your body to fight Cancer cells
- Often accompanied by inflammatory responses like:
 - Fever, pain, low energy, discharge of mucus, pus, skin rash or diarrhea



“Cell-Mediated” (Th1) Immunity

Digests & Eliminates
the foreign antigens
from the body

2 Branches of the Immune System



■ Type 2 “Humoral” Immunity

- Causes a huge increase in antibodies
- Antibodies in the bloodstream sense foreign antigens
- It is the recognizing portion of the immune system



“Humoral” (Th2) Immunity

Tastes, Recognizes &
Remembers
foreign antigens






#6

How do
vaccines work?





CDC.GOV:

“Vaccines work by imitating an **infection**—the presence of a disease-causing organism in the body—to engage the body's natural defenses. The active ingredient in all vaccines is an **antigen**, the name for any substance that causes the immune system to begin producing antibodies. In a vaccine, the antigen could be either

- Weakened or killed bacteria or viruses
- Bits of their exterior surface or genetic material, or
- Bacterial toxin treated to make it non-toxic.”

<https://www.cdc.gov/vaccines/basics/explaining-how-vaccines-work.html>

Live vaccines

Examples:

Live polio

Measles

Tuberculosis

Smallpox

Non-live vaccines


Examples:

Diphtheria-tetanus-pertussis (DTP)

Hepatitis B

Influenza

HPV




Dr. Philip F. Incao, M.D.

“contrary to previous belief, vaccinations do not strengthen or "boost" the whole immune system. Instead vaccinations over-stimulate the "tasting and remembering" function of the antibody-mediated branch of the immune system (Th2) which simultaneously suppresses the cellular immune system (Th1) thus "preventing" the disease in question. What in reality is prevented is not the disease but the ability of our cellular immune system to manifest, to respond to and to overcome the disease!”


<http://www.ei-resource.org/articles/gulf-war-syndrome-articles/how-vaccinations-work/>-web article no longer available as of 1/28/24

Vaccination



- Vaccines DO NOT strengthen or boost the whole immune system
- Vaccines repeatedly stimulate Type 2 Humoral Immunity
 - Creating excessive antibodies
- This SUPPRESSES Type 1 Cell-Mediated Immunity digesting & eliminating function
 - So as not to “catch” the disease
- Over-stimulating antibody production Vaccination creates hyper-sensitivity

Results of Type 2 Humoral Immunity Dominance



❖ Allergies

- ❖ Food, Environmental, Chemical

❖ Chronic Infections

- ❖ Colds, Flu, Ear Infections, Strep, Bronchitis, Staph, etc...

❖ Autoimmune Disease

- ❖ MS, Type 1 Diabetes, Rheumatoid Arthritis, Lupus, AIDS, Celiac, Crohn's, Hashimoto's Thyroiditis, etc...

❖ Cancer

- ❖ All Types, Inhibits TNF (Tumor Necrosis Factor)

**PREVALENCE
of CHILDHOOD
INFECTIOUS
DISEASES:**

*measles, mumps,
polio, whooping cough,
diphtheria, rubella,
smallpox, meningitis*

**RISKS
ASSOCIATED
WITH
VACCINATION:**

*autoimmune disease
cancer
asthma
allergies
heavy metal toxicity
brain damage
learning delays
autism spectrum disorders*



But what is commonly looked-at when studying vaccines?



Protective effect
against vaccine disease

+

Non-specific effect
on other diseases

=

Effect on
overall health



Guinea-Bissau West Africa Study

Highlights:



- When DTP and OPV (oral polio) were introduced in Guinea-Bissau in 1981, allocation by birthday resulted in a natural experiment of being vaccinated early or late.
- Between 3 and 5 months of age, children who received DTP and OPV early had

• 5-fold higher mortality than still unvaccinated children

- DTP-only vaccinations were associated with higher mortality than DTP + OPV vaccinations together. Hence, DTP may be associated with a negative effect on child survival.

[https://www.thelancet.com/journals/ebiom/article/PIIS2352-3964\(17\)30046-4/fulltext](https://www.thelancet.com/journals/ebiom/article/PIIS2352-3964(17)30046-4/fulltext)

Diphtheria-tetanus-pertussis (DTP) vaccine increased deaths x 5



Dr. Christine Stabell Benn, M.D.

Danish Professor of Global Health

https://www.ted.com/talks/christine_stabell_benn_how_vaccines_train_the_immune_system_in_ways_no_one_expected

Mogensen et al, EBioMedicine 2017

When we ONLY look at “Protective Effect” and ignore ”Non-Specific Effect” we get a very, very distorted view of vaccines’ efficacy & safety.

Yet, in America, that’s all vaccine research has focused on.

They’ve actually asserted that because vaccines can be shown to greatly increase antibodies for a certain disease or infection, they are then deemed “effective.” But, I’d assert that they are asking the WRONG questions. The vaccine doesn’t even have to “prevent” said sickness...Exhibit 1:

The yearly FLU vaccine:

2024-2025 Vaccine Effectiveness study = 36% effective

What they don’t tell us: what non-specific NEGATIVE effects happened in the 36% who didn’t get the flu...and the 64% who DID get the flu!!

Protective effect
against vaccine disease

+

Non-specific effect
on other diseases

=

Effect on
overall health

MAWSON STUDY – 2017



Edited by
Yehuda Shoenfeld, Nancy Agmon-Levin
and Lucija Tomljenovic

VACCINES & AUTOIMMUNITY

WILEY Blackwell

Injected Aluminum:

- Lupus
- MS
- RA
- Alzheimer's
- Ulcerative Colitis
- Etc...




#7

How are new vaccines
developed & how do
we know that vaccines
are **safe** and/or
effective?



Government Agencies with involvement in Vaccine Regulation



- **OVRR** Office of Vaccines Research and Review
 - <https://www.fda.gov/media/152582/download>
- **CBER** Center for Biologics Evaluation and Research
 - <https://www.fda.gov/about-fda/center-biologics-evaluation-and-research-cber/center-biologics-evaluation-and-research-cber-responsibilities-questions-and-answers>

Vinay Prasad M.D., M.P.H.

How a New Childhood Vaccine is Developed according to CDC.gov

<https://www.cdc.gov/vaccines/basics/how-developed-approved.html>

■ Phase 1

- “20-100 participants”

■ Phase 2

- “100-300 participants”

■ Phase 3

- “1000-3000 participants”

■ Phase 4

- “is a formal, ongoing study to evaluate the new vaccine’s safety & effectiveness over a long period of time”



HHS 2026 Document stating they are decreasing the Childhood Schedule



2.1 State of the Evidence for Childhood Vaccinations

Given the growing distrust that the American people have in the current childhood vaccine schedule, there is a need for more and better science, including gold standard placebo-controlled randomized trials.⁷¹ This could help address knowledge gaps about potential side effects and risk/benefit profiles. Until more studies are completed, the childhood vaccination recommendations must be based on the best available evidence, however limited, and the best practices of peer, developed nations.

To establish a solid scientific basis for the childhood vaccine schedule and to inform global best practices for childhood vaccinations, HHS agencies should fund gold standard science to assess overall health outcomes related to both consensus and non-consensus vaccines, the interaction effects between different vaccines, as well as other aspects of the vaccine schedule. Placebo-controlled randomized trials can be done in an ethical manner by, for example, randomizing the age of vaccination, with the control group getting a placebo at the earlier age but the vaccine at a later time⁷² or by studying vaccines for which there is no international consensus about the recommendation.

<https://www.hhs.gov/sites/default/files/assessment-of-the-us-childhood-and-adolescent-immunization-schedule-compared-to-other-countries.pdf>

HHS 2026 Document stating they are decreasing the Childhood Schedule

Those who are convinced that vaccines are safe will welcome randomized, placebo-controlled trials, as they will show that the vaccines are safe if they are safe. Those who are concerned about potential side effects of vaccines will also welcome these trials, as they will detect

11

problems if problems exist. Prior to completion of these studies, HHS should continue to make determinations about childhood vaccination recommendations based on the best available evidence and the best practices of peer, developed nations.

<https://www.hhs.gov/sites/default/files/assessment-of-the-us-childhood-and-adolescent-immunization-schedule-compared-to-other-countries.pdf>



**Follow.
The.
Money.**

You need to understand that the narrative is such that the more you hear the so-called “experts” get on TV and tell you that vaccines are “**safe & effective**” that you, as a trusting citizen, will blindly trust those words without demanding proof of evidence.

“Follow the Science” leads to one conclusion: there is no ‘science’ that proves safety nor efficacy.



"Doctors learn a lot about diseases in medical school, but we learn very little about vaccines. We never learn what goes into making vaccines or how their safety is studied. So, when patients want a little more information about shots, all we can really say as doctors is that the diseases are bad and the shots are good."

-Dr Bob. Sears

**What
about the
Pedia-
tricians?**


**Don't they
know?**

Dr. Bob Sears, Pediatrician

Not 1 single childhood vaccine
has been part of a TRUE gold-
standard placebo-controlled trial

PLACEBO PYRAMID SCHEME

Guardasil was fast-tracked,
this placebo-controlled trial
never was completed





<https://icandecide.org/vaccine-safety-debate/>


HHS'S CHILDHOOD SCHEDULE: ONE DAY TO 6 MONTHS OF LIFE			
VACCINE TYPE	TEST GROUP RECEIVED	CONTROL GROUP RECEIVED ¹⁵	PLACEBO CONTROL?
DTaP	Infanrix (GSK) ¹⁶	DTP	NO
	Daptacel (Sanofi) ¹⁷	DT or DTP	NO
Hib	ActHIB (Sanofi) ¹⁸	Hepatitis B Vaccine	NO
	Hiberix (GSK) ¹⁹	ActHIB	NO
	PedvaxHIB (Merck) ²⁰	Lyophilized PedvaxHIB ²¹	NO
Hepatitis B	Engerix-B (GSK) ²²	No control group	NO
	Recombivax HB (Merck) ²³	No control group	NO
Pneumococcal	Prevnar 13 (Pfizer) ²⁴	Prenvar ²⁵	NO
Polio	Ipol (Sanofi) ²⁶	No control group	NO
Combination Vaccines	Pediarix (GSK) ²⁷	ActHIB, Engerix-B, Infanrix, IPV, and OPV	NO
	Pentacel (Sanofi) ²⁸	HCPDT, PolioVAX, ActHIB, Daptacel, and IPOL	NO



<https://icandecide.org/vaccine-safety-debate/>

HHS'S CHILDHOOD SCHEDULE: 18 MONTHS TO 18 YEARS OF LIFE			
VACCINE TYPE	TEST GROUP RECEIVED	CONTROL GROUP RECEIVED	PLACEBO CONTROL?
Tdap	Boostrix (GSK) ³⁸	DECAVAC or Adacel	NO
	Adacel (Sanofi) ³⁹	Td (for adult use)	NO
HPV	Gardasil (Merck) ⁴⁰	AAHS <i>or</i> Gardasil carrier solution (Sodium Chloride, L-histidine, Polysorbate 80, Sodium Chloride, and Yeast Protein) (594 subjects)	NO
	Gardasil-9 (Merck) ⁴¹	Gardasil <i>or</i> Placebo (306 subjects that recently received 3 doses of Gardasil)	YES ⁴²
Meningococcal	Menactra (Sanofi) ⁴³	Menomune	NO
	Menveo (GSK) ⁴⁴	Menomune, Boostrix, Menactra, or Mencevax	NO
Combination Vaccines	Kinrix (GSK) ⁴⁵	Infanrix and Ipol	NO
	Quadracel (Sanofi) ⁴⁶	Daptacel and Ipol	NO
Flu ⁴⁷	Afluria (IIV3) (Seqirus) ⁴⁸	Fluzone (IIV3)	NO
	Afluria (IIV4) (Seqirus) ⁴⁹	Fluarix (IIV4)	NO
	Flucelvax (IIV4) (Seqirus) ⁵⁰	Flucelvax (IIV3) or a (Seqirus) investigational vaccine	NO


What is Fast-Tracking?



- Definition: Facilitating the development of drugs which treat a serious or life-threatening condition”
- 2006 - Gardasil was FDA approved in only 6 months after it's original approval for a 4-year safety trial
- On average, vaccines undergo on avg. a minimum of 3 years plus an additional 5-10 years before being widely distributed
- Covid-19 is our next example of fast tracking

the 1990s, the number of people in the world who are under 15 years of age is expected to increase from 1.1 billion to 1.5 billion. The number of people aged 65 and over is expected to increase from 200 million to 400 million. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion.

- ## Barbara Loe Fisher, NVIC Director




Dr. Diane Harper

Lead Researcher in the development of
Gardasil and Cervarix, HPV vaccines



- Said the controversial drugs “will do little to reduce cervical cancer rates and, even though they’re being recommended for girls as young as nine, there have been no efficacy trials in children under the age of 15.”
- “At best, it will increase your chances of having a normal pap smear in the next 5 years.”




<https://childrenshealthdefense.org/news/australian-data-cancer-epidemic-in-gardasil-girls/>



AUSTRALIAN DATA: Cancer Epidemic in Gardasil Girls

Figure 2: Cervical cancer age-specific rates
by sex and age group, 2019




**Cervical Cancer
Increased for
25-29 yos — Why?**

THE DEPOSITION OF STANLEY PLOTKIN



<https://thehighwire.com/ark-videos/the-deposition-of-stanley-plotkin/>



In January of 2018, ICAN Lead Attorney, Aaron Siri, Esq., deposed Dr. Stanley Plotkin, in a family custody case in Michigan. Dr. Plotkin is considered the preeminent global expert on vaccines, having authored **the** authoritative textbook on the subject, “Plotkin’s Vaccines.” Watch the full deposition of the man Bill Gates called ‘the last remaining giant of vaccinology.’

2018

- Robert F. Kennedy, Jr. sued the US Dept of Health & Human Services under the *Freedom of Information Act*
- In the 1986, part of the “vaccine safety” concession was that **the HHS was supposed to provide congress with a vaccine safety report every 2 years**
- Since 1986 it has NEVER happened; and the U.S. Dept. of Health LOST the lawsuit
- 2026...now that RFK is Secretary of HHS, that will change & is changing.




Next, we're going to hear an audio-recording from a

**Health Professional
Conference Q&A on
VACCINE SCHEDULES**

Online listeners can read the slides but won't be able to hear the actual audio.

Health Professional Conference Q&A on **VACCINE SCHEDULES**



*Recording by Dr. Michael Gaeta,
a natural-health educator
Conference for Health Professionals
Panel of 4 experts, Audience Q&A*

Health Professional Conference Q&A on VACCINE SCHEDULES



Audience member question:

“The science seems fairly clear that for the 1st year of life, probably, the immunization is not stimulating the kind of response that we expect it to stimulate.

So, what’s the rationale for continuing to do that, if it’s not doing what it’s supposed to do?”

Health Professional Conference Q&A on VACCINE SCHEDULES




Panel Member answer: “The vaccines are given at pediatric wellness visits, and the idea is that you are training the parent to bring the child in at all the pediatric wellness visits. And that it’s only the year visit that actually is truly important. But that for most parents, you’re not going to get them to bring their kid in if they don’t come in at 2 months, 4 months & 6 months...

Health Professional Conference Q&A on VACCINE SCHEDULES



...And so, it's actually more of a training thing. It's so interesting, I was on the phone with _____ County Public Health last week with one of their vaccine nurses, and she was like, "Oh, you're talking to them about vaccines? Make sure to tell them they have to do that year shot because the first 3 don't work!!"
---Audience Laughter---

Health Professional Conference Q&A on VACCINE SCHEDULES



Panel Member continues: “Yeah, I know!”

---Audience Laughter---

CDC IMMUNIZATION SCHEDULE

IN UTERO TO 12 MONTHS

1986

DTP (2 months)
OPV (2 months)
DTP (4 months)
OPV (2 months)
DTP (6 months)



12
Doses
down
from
21
Before
Age 1

2026

TDaP (in utero)
Flu (in utero)
Covid-19 (in utero)
~~Hep B (in utero)~~
RSV (in utero or birth)
~~Hep B (birth)~~
~~Hep B (1 month)~~
~~RV (2 months)~~
DTaP (2 months)
Hib (2 months)
PCV15 (2 months)
IPV (2 months)
~~RV (4 months)~~
DTaP (4 months)
Hib (4 months)
PCV15 (4 months)
IPV (4 months)
~~RV (6 months)~~
DTaP (6 months)
Hib (6 months)
PCV15 (6 months)
IPV (6 months)
~~Hep B (6 months)~~
~~Flu (6 months)~~
Covid-19 (6 months)
~~Flu (7 months)~~
Covid-19 (7 months)
~~Covid-19 (9 months)~~
Hib (12 months)
PCV (12 months)
~~Hep A (12 months)~~
VAR (12 months)
MMR (12 months)

Vaccines
marked out
were
previously on
the 2025
schedule

Let's Talk Hep-B, now on the CDC's "shared-decision" list

Energix-B

Hepatitis B Vaccine



HIGHLIGHTS OF PRESCRIBING INFORMATION

These highlights do not include all the information needed to use **ENERGIX-B** safely and effectively. See full prescribing information for **ENERGIX-B**.

6 ADVERSE REACTIONS

6.1 Clinical Trials Experience

In 36 clinical studies, a total of 13,495 doses of ENGERIX-B were administered to 5,071 healthy adults and children who were initially seronegative for hepatitis B markers, and healthy neonates. All subjects were monitored for 4 days post-administration. Frequency of adverse events tended to decrease with successive doses of ENGERIX-B.

Recombivax HB

Hepatitis B Vaccine



HIGHLIGHTS OF PRESCRIBING INFORMATION

These highlights do not include all the information needed to use

RECO

inform

HIGHLIGHTS OF PRESCRIBING INFORMATION

These highlights do not include all the information needed to use **RECOMBIVAX HB** safely and effectively. See full prescribing information for RECOMBIVAX HB.

6 ADVERSE REACTIONS

6.1 Clinical Trials Experience

In three clinical studies, 434 doses of RECOMBIVAX HB, 5 mcg, were administered to 147 healthy infants and children (up to 10 years of age) who were monitored for 5 days after each dose. Injection site reactions and systemic adverse reactions were reported following 0.2% and 10.4% of the injections, respectively. The most frequently reported systemic adverse reactions (>1% injections), in decreasing order of frequency, were irritability, fever ($\geq 101^{\circ}\text{F}$ oral equivalent), diarrhea, fatigue/weakness, diminished appetite, and rhinitis.




2010 Whistleblowers



- 2 virologists, Stephen Krahling & Joan Wlochowski filed a lawsuit against MERCK, their former employer
- The court records were unsealed in June 2012
- They allege that they “witnessed firsthand the improper testing and data falsification in which MERCK engaged to artificially inflate vaccine’s efficacy findings.”
- MERCK enjoys global vaccine sales totaling over \$20 billion/year

See an interview about this with Dr. [Name] and [Name] ara Loe Fisher


<http://www.youtube.com/watch?v=Ye-NN390>



[Ye-NN390](http://www.youtube.com/watch?v=Ye-NN390)



2014 Whistleblower



- August 27th, 2014 CDC scientist William Thompson came out of the shadows and revealed that he had participated in a major scientific fraud; over **10,000** documents were ordered to be destroyed but Thompson did not destroy them, instead he waited 10 years and confessed to his part in the cover-up
- **The 2004 study published claimed there was “NO link” between the MMR vaccine and Autism among**
- But, after 10 years, Thompson could hold his silence no longer..


WHY???

VAXXED Documentary


tells the story of the massive Vaccine-Autism Link Cover-up Since 2003-04



- Children vaccinated on-schedule at 12-18 mo are 2.64 times more likely to develop Autism than if they wait until at least 3 yrs old to begin vaccines
- African-American Boys are **3.59** times more likely with the same parameters
- “Isolated Autism” (which sounds benign but IS NOT), when they look at ONLY the perfectly normally developing thriving children who began to regress rapidly following vaccination
 - 7 times more likely to develop Autism when vaxxed at 12-18 months vs. waiting until after 3



The “Danish” Study



- This study is used to quote “debunk” the Atlanta study that found the link between Autism and age the MMR is given
- Our CDC commissioned the study to be conducted in Denmark, published in the New England Journal of Medicine
- Avg. age of Autism diagnosis in Denmark: 4 yoa
- Study stopped: when the children turned 3.5 yoa

RFK Jr. on the Sean Ryan Show



1:41 – 4:07

<https://youtu.be/fjflHleIz0?si=FIoPzIXycmWYjGry>

“Deadly Immunity”

by Robert F. Kennedy, Jr.



by Robert F. Kennedy Jr.

When a study revealed that mercury in childhood vaccines may have caused autism in thousands of kids, the government rushed to conceal the data -- and to prevent parents from suing drug companies for their role in the epidemic.

<https://southerncrossreview.org/41/kennedy.htm>

Quote from CDC.gov

“Vaccine Safety” 2026



- CDC monitors the safety of vaccines by:
 - “Vaccine safety scientists look for unusual or unexpected patterns of reports of possible health problems called “adverse events.” These could be a side effect that is related to the vaccine, or a coincidental event that happened following vaccination. If there is evidence of a potential safety concern, CDC and FDA conduct an assessment to evaluate for safety risks and take public health action if necessary.”

<https://www.cdc.gov/vaccine-safety-systems/about/monitoring.html>

VAERS


<http://vaers.hhs.gov/index>

Vaccine Adverse Event Reporting System

The National Childhood Vaccine Injury Act (NCVIA) of 1986 **requires health professionals and vaccine manufacturers to report** to the U.S. Department of Health and Human Services (HHS) specific adverse events that occur after the administration of routinely recommended vaccines



LINK BELOW TO REPORT ANY VACCINE REACTION THAT YOU SUSPECT!




- Reporting vaccine reactions to VAERS is the law and it is also a way to generate information that will help reduce vaccine risks for everyone.
- If your doctor will not report a serious health problem you or your child suffers following vaccination, you have the right to report a suspected vaccine reaction to VAERS.
- <https://vaers.hhs.gov/esub/index.jsp>

So, how can we know if
vaccines are safe?

How do we know if they're
effective?

NOT because of the research,
because even the little that is
actually done is often tainted
by agendas and money.






#8

What about
COVID-19
(SARS-CoV-2)
so-called 'vaccines'?

*Covid-19 is the inflammatory
response to the VIRUS, rendering it
the "disease"*

Covid-19 Shots for CHILDREN



- We honestly need NOT even discuss this.
- It's pure insanity.
- The notion that children would have LESS risk in taking these shots than Covid is the most science-less thing I've ever heard of.

Feb. 26, 2024

Roundtable Discussion sponsored by U.S. Senator Ron Johnson
(WISCONSIN), "Federal Health Agencies and the COVID
Cartel: What Are They Hiding?"

Dr. Sabine Hazen Testimony begins at 2 hrs 10 minutes
**Current researcher doing over 200 clinical trials on
vaccine safety**

<https://www.nvic.org/newsletter/feb-2024/sen-ron-johnson-roundtable-on-feb-26,-2024>



So what can YOU do if you have Covid symptoms??



- **EARLY TREATMENT** when you begin to have symptoms!!!
 - Rx IVERMECTIN **OR** Rx HYDROCHLOROQUINONE
 - 7mg Nicotine Patch daily (Rugby Brand)
 - NEBULIZING food-grade H₂O₂/Iodine with Saline
 - 1. 3 mL of 3% food grade hydrogen peroxide-you don't want any stabilizers!
 - 2. 250 mL of sterile saline solution.
 - 3. 1 drop of 5% Lugol's iodine solution

So what can YOU do if you have Covid symptoms??



■ **SUPPLEMENTS for Adults:**

- VITAMIN D3 (50,000 units/day for 4 days)
- VITAMIN C (I.V. if severe; orally if not a severe case 5,000mg/hour until bowel tolerance) 1st day, then 5,000 per day until you're well
- VITAMIN A (50,000-100,000 units/day for 4 days)
- IODINE (50-100mg/day until you're feeling better)
- ZINC (75-100mg/day)
- QUERCETIN (250mg/day) IF you're not taking Ivermectin or HCQ
- MELATONIN (10mg at night)



Clearing Spike Proteins to prevent "Long Covid" after you've been sick with Covid



■ Adult **RECOMMENDATIONS:**

- Selenium (200 Micrograms/day)
- N-Acetyl Cysteine (NAC) 500-1000/day for 60 days
- EDTA (Global Healing Center brand) 2 mL per day empty stomach in a.m. for 30 days
- Foreign Protein Cleanse (Global Healing Center brand) 2mL before bed for 30 days
- 3.5 or 7mg Nicotine Patch every 24 hrs for 30 days

Trusted Resources on the Covid-19 debacle



McCULLOUGH
FOUNDATION

Children's
Health Defense
.org


The logo for Children's Health Defense.org, featuring a blue globe with silhouettes of four children holding hands, supported by two black hands.



#9

What goes into a vaccine, what potential side-effects exist with vaccines, and are some individuals higher-risk than others?


What's really in a Vaccine?



- **Vaccine Adjuvants**
Added to cause a stronger immune response
- **Preservatives**
- **Antibiotics**
- **Additional Chemicals**
- **Heavy Metals**
- **Animal By-Products**
- **Microbes**

Common Ingredients in Vaccines

(may vary between Mfg. & type of vaccine)



- Formaldehyde
- Aluminum hydroxide
- Aluminum phosphate
- Thimerosal (ethyl-Mercury)
- Polysorbate-80
- Ammonium Sulfate
- MSG
- Phenol compound from distillation of coal tar
- Human diploid cells from ABORTED FETAL TISSUE
- Monkey kidney cells
- Human albumin
- Calf serum
- Monkey fetal lung cells
- Chick embryo
- Washed sheep RBC's
- Glyphosate (*Round-up*)



List of vaccines with KNOWN aborted fetal cells used in their development:

According to COG.org research, **there are NO MMR, ChickenPox, Adenovirus nor Covid vaccines**

available in the USA without aborted fetal cell lines used.

<https://cogforlife.org/guidance/>

Knowing about Thimerosal: There's NO such thing as a “safe Mercury”




- 1000 x's more toxic to the human body than Lead
- Initially introduced as a preservative in vaccines; now used as an adjuvant particularly in Flu Vaccines
- The CDC says that Ethyl Mercury is safe because it's broken down and cleared from the body faster than long-term exposure to Methyl Mercury exposure from eating fish contaminated with mercury.
- <https://www.cdc.gov/vaccinesafety/concerns/thimerosal/>
- <https://www.fda.gov/vaccines-blood-biologics/safety-availability-biologics/thimerosal-and-vaccines>

There's NO such thing as a "safe Mercury"

■ Burbacher Study

■ <https://pubmed.ncbi.nlm.nih.gov/16079072/>


- Total Hg in **BLOOD** vs. **BRAIN** after 4 weekly injections of Thimerisol (ethyl-mercury)



See this image and copyright information in PMC

Figure 6 A semilogarithmic plot of washout of total Hg in blood and the brain after four weekly im injections of vaccine thimerosal (20 $\mu\text{g/kg}$ Hg). The data were collected from groups of infant monkeys sacrificed at 2, 4, 7, 10, 17, and 21 days after the last dose. The lines represent nonlinear regression fit of the data to a monoexponential model. The regression

One Size Fits All...or does it?




"A single vaccine given to a six-pound newborn is the equivalent of giving a 180-pound adult 30 vaccinations on the same day."

**FACT:
Vaccine
dosages are
NOT
different
based on
your child's
weight**

Dr. Andrew Wakefield

- Gastroenterologist from UK
- Lost his medical license in England after **questioning & looking into** the relationship between childhood vaccines, **gut inflammation, & neurological injury** in his practice
- Book:
“Callous Disregard”






**GUT FLORA IS KEY TO AVOIDING
VACCINE INJURY & OVERCOMING IT**

WHAT DAMAGES OUR GUT FLORA?

- Birth via c-section w/o travelling through the vaginal canal to collect proper bacteria
- Birth where mother is on antibiotics, which kills her ability to transmit good bacteria to her baby
- Lack of being breast-fed in order to establish proper gut flora
- Antibiotic use
- Exposure to Glyphosate (Round-Up) which is registered as an antibiotic with the EPA, not

MTHFR Genetic Mutation



■ MethyleneTetraHydroFolate Reductase (MTHFR)

- A gene responsible for producing an enzyme converting folic acid/folate to methylfolate (Vitamin B9)
- **DETOXIFICATION** is impaired
 - Heavy Metals are a huge risk factor
 - MTHFR is crucial for the production of Glutathione (one of the body's most important antioxidants)
- **MTHFR means you CANNOT methylate Folic Acid**
 - any “enriched” grains sprayed with Folic Acid or in supplements (i.e. cyanocobalamin)


MTHFR Genetic Mutation

Research shows links with:

<https://www.ncbi.nlm.nih.gov/pubmed/25449138>

- ADHD (Attention Deficit Hyperactivity Disorder)
- Autism
- Autoimmune disease and thyroid issues
- Cardiovascular disease
- Chronic fatigue
- Digestive issues, including IBS (Irritable Bowel Syndrome)
- Hormonal issues, including PCOS (Polycystic Ovary Syndrome)
- Migraines
- Schizophrenia

Injecting
is **NOT**
the same as
INGESTING




INJECTED vs. ENVIRONMENTAL Formaldehyde (adjuvant)




- Environmental formaldehyde causes Asthma, Leukemia, and many different forms of Cancer, facts that are widely accepted.
- Injectable Formaldehyde Study on Mice (2018):
 - <https://pubmed.ncbi.nlm.nih.gov/29401634/>
 - “We found that FA (injected Formaldehyde) interacts with insulin to form FA-insulin adducts, and these FA-insulin adducts caused insulin deficiency, contributing to memory decline in diabetic rodent models.”

the 1990s, the number of people in the world who are under 15 years of age is expected to increase from 1.1 billion to 1.5 billion. The number of people aged 65 and over is expected to increase from 200 million to 400 million. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion.

- “It seems that we are creating the perfect conditions for Parkinson’s disease, Lou Gehrig’s Disease, and Alzheimer’s maybe not immediately, but 20-30-40 years down the road.”*



Are Vaccines Inducing Food Allergies?




“Allergies were unheard of before the invention of the hypodermic needle.” Dr. Janet Levatin, M.D.

- i.e. forcing an outside substance into the body in an unnatural way...not entering through the nose/mouth
- This induces an “inflammatory response” in the human body which then causes the body to reject the substance
- Food proteins are found in some vaccines
- Continual stimulation of Type 2 Humoral Immunity


Dr. Lawrence Palevsky, MD

Pediatrician




“...1 in 6 kids in this country has some form of neuro-developmental disability.”

“The Greater Good” documentary




Looking at Autism without an Agenda



- *“A purely genetic basis for autism does not fully explain the increasing autism prevalence. Other theories that attempt to better explain the observed increase in autism cases include environmental exposures to substances such as mercury; viral exposures; autoimmune disorders; and childhood vaccinations.”*

Robert Byrd, MIND Institute @ UC Davis, Oct '02.

Autism Rates in America



- 2025 CDC says - 1 in 31 children
- https://www.cdc.gov/autism/data-research/?CDC_AAref_Val=https://www.cdc.gov/ncbddd/autism/data.html
- 2018 - 1 in 44
- 2016 - 1 in 54
- 2000 - 1 in 150 children



MERCURY POISONING AND AUTISM

It isn't a coincidence.

SYMPTOMS OF AUTISM IN CHILDREN

Loss of Speech
Social Withdrawal
Reduced Eye Contact
Repetitive Behaviors
Hand-flapping, Toe-walking
Temper Tantrums
Sleep Disturbances
Seizures

SYMPTOMS OF MERCURY POISONING IN CHILDREN

Loss of Speech
Social Withdrawal
Reduced Eye Contact
Repetitive Behaviors
Hand-flapping, Toe-walking
Temper Tantrums
Sleep Disturbances
Seizures

Maternal use of acetaminophen during pregnancy and risk of autism spectrum disorders in childhood: A Danish national birth cohort study 2016

- **“Maternal use of acetaminophen in pregnancy was associated with ASD with hyperkinetic symptoms only, suggested acetaminophen exposure early in fetal life may specifically impact this hyperactive behavioural phenotype.”** (Study did not specify how early)
- **Longer duration of use (i.e., use for >20 weeks in gestation) increased the risk of ASD or infantile autism with hyperkinetic symptoms almost twofold.**

<https://pubmed.ncbi.nlm.nih.gov/26688372/>



Harvard Study looking at Tylenol's role in Autism



DIGITAL ACCESS TO
SCHOLARSHIP AT HARVARD
DASH.HARVARD.EDU



HARVARD LIBRARY
Office for Scholarly Communication

[DASH Home](#) » [Harvard Medical School](#) » [HMS Scholarly Articles](#) » View Item

Search



- ☒ Search DASH
- ☐ This Collection

Browse

The role of oxidative stress, inflammation and acetaminophen exposure from birth to early childhood in the induction of autism

■ <https://dash.harvard.edu/bitstream/handle/1/34492259/5536672.pdf?sequence=1&isAllowed=y>

Harvard Study looking at Tylenol's role in Autism



DIGITAL ACCESS TO
SCHOLARSHIP AT HARVARD
DASH.HARVARD.EDU



HARVARD LIBRARY
Office for Scholarly Communication

[DASH Home](#) » [Harvard Medical School](#) » [HMS Scholarly Articles](#) » View Item




- ☒ Search DASH
- ☐ This Collection

Browse

The role of oxidative stress, inflammation and acetaminophen exposure from birth to early childhood in the induction of autism


- “Most importantly, acetaminophen, the analgesic most commonly administered in conjunction with vaccination and the only analgesic administered to children under the age of 6 months following vaccination, has been identified as a likely inducer of autism. Initial studies described below suggest that it is the co-administration of this analgesic with vaccines that may have given many parents the false impression that their child’s autism was induced by a vaccine.”
- Liew Z, Ritz B, Virk J, et al. Maternal use of acetaminophen during pregnancy and risk of autism spectrum disorders in childhood: a Danish national birth cohort study. *Autism Res* 2015; 9: 951–958.

Cancer Link



- Every vaccine insert says it has never been tested to see if it causes cancer.
- Cancer is now the 2nd leading cause of death in kids age 5-17 behind only accidental injuries.
- I fully understand that correlation does not necessarily equal causation, but clearly these things need to be studied!

Cancer Link



- Before mass vaccinations, “...we didn't have cancer in epidemic numbers, autoimmune ailments were barely known, and childhood autism did not exist.”

Neil Miller-Vaccine Investigator

- “Cancer was practically unknown until smallpox vaccination began...I have never seen a case of cancer in a non-vaccinated person.”


W.B. Clark, MD

- *“...There has been a 55% increase from 1975 to 2005 in the incidence of leukemia in 0 to 14-year-olds and an 81% increase for acute lymphocytic leukemia the most common type of leukemia.*

Dr. Philip J. Landrigan, Mount Sinai School of Medicine NYC

SIDS

Sudden Infant Death Syndrome



- The peak age for SIDS-related deaths (2-4 months) coincides exactly with the introduction of vaccines if the recommended schedule is followed.
- “My suspicion, which is shared by others in my profession, is that the nearly 10,000 SIDS deaths that occur in the United States each year are related to one or more of the vaccines that are routinely given children. The pertussis vaccine is the most likely villain, but it could also be one or more of the others.”

~ Dr. Robert Mendelsohn, MD, [How To Raise A Healthy Child In Spite Of Your Doctor, Professor of Pediatrics, Community Health and Preventative Medicine, University of Illinois, College of Medicine](#)

SIDS – quote from VAERS



- **VAERS data contains coincidental events and those truly caused by vaccines.**
- “More than 10 million vaccines per year are given to children less than 1 year old, usually between 2 and 6 months of age. At this age, infants are at greatest risk for certain medical adverse events, including **high fevers, seizures, and sudden infant death syndrome (SIDS)**. Some infants will experience these medical events shortly after a vaccination by coincidence.”
- “These coincidences make it difficult to know whether a particular adverse event resulted from a medical condition or from a vaccination. **Therefore, vaccine providers are encouraged to report all adverse events following vaccination, whether or not they believe the vaccination was the cause.**”

August 2025 – SIDS –

Vaccine Court Rules in favor of family who lost their 11wk old baby girl named Anna in 2013, Ruled “Vaccine-Induced Encephalopathy”

Statement from Anna Sims’ Mother:

“If I dare mention that my daughter died 6 hours post vaccination, their first response is ‘but certainly you know that the vaccines didn’t cause her death, right?!’ To which I uncomfortably explain that was the only possible cause of death as everything else was ruled out. I have since found out that vaccine deaths are rarely reported to those vaccine safety studies the HHS and CDC are supposedly so thorough about. My daughter, Anna, is not the only hidden statistic. Vaccine manufacturers have NO liability for injuries or deaths caused by vaccines, we have all been told that vaccines are safe and effective, but inconvenient statistics are removed from their safety studies. The ethics violations are deadly.”

The Sims family filed their complaint with the NVICP in 2015, 3 years after Anna died. They fought for nearly a decade to receive compensation — a timeline that is not atypical in the vaccine court, according to the researchers.

<https://publichealthpolicyjournal.com/11-week-old-anna-died-hours-after-her-routine-vaccines-nearly-12-years-later-a-court-ruled-the-vaccines-killed-her/>



#10

How does the overall
health of the
Un-vaccinated
compare with those
who are **Vaccinated**?


Ask almost
ANY Mom
who vaccinated her older
children and decided not to
vaccinate her younger ones...



So, this has NEVER
been studied
“officially” in the USA.
And it would be EASY
to do, but the powers
that be will NOT do it
because their agenda
cannot go forward
with the **results** they
know they'll get.




Del Bigtree's newest Documentary
uncovering a massive retrospective study
conducted that the lead researcher says
he will never publish.



<https://www.aninconvenientstudy.com>

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26



 **PeterMcCulloughMD**
1.78K followers

Follow

1

1

Comments

⋮


<https://rumble.com/v4pkvsf-do-vaccines-make-us-healthier-2024-update.html>

Feb. 26, 2024

Roundtable Discussion sponsored by U.S. Senator Ron Johnson
(WISCONSIN), "Federal Health Agencies and the COVID
Cartel: What Are They Hiding?"

**Dr. Brian Hooker, PhD's Testimony begins at
1 hr 50 minutes. He covers vaccinated vs. unvaccinated
research available to that date.**

<https://www.nvic.org/newsletter/feb-2024/sen-ron-johnson-roundtable-on-feb-26,-2024>




Analysis of health outcomes in vaccinated and unvaccinated children:

*Developmental delays, *asthma, *ear infections, *GI disorders

<https://journals.sagepub.com/doi/full/10.1177/2050312120925344>




Dr. Paul Thomas's pediatric practice in Oregon published 2020




DOCTORSANDSCIENCE.COM

Dr. Paul Thomas's pediatric
practice in Oregon published 2020




Dr. Paul Thomas's pediatric practice in Oregon published 2020




DOCTORSANDSCIENCE.COM

Dr. Paul Thomas's pediatric
practice in Oregon published 2020



Dr. Paul Thomas's pediatric practice in Oregon published 2020




<https://www.mdpi.com/1660-4601/17/22/8674>

- Dr. Paul Thomas published his retrospective practice analysis in 2020

- The Journal has since RETRACTED his study citing this:

“Following publication, concerns were brought to the attention of the editorial office regarding the validity of the conclusions of the published research.”



Open Access Article

RETRACTED: Relative Incidence of Office Visits and Cumulative Rates of Billed Diagnoses Along the Axis of Vaccination

by James Lyons-Weiler ^{1,*} and Paul Thomas ²

¹ The Institute for Pure and Applied Knowledge, Pittsburgh, PA 15101, USA

² Integrative Pediatrics, Portland, OR 97225, USA

* Author to whom correspondence should be addressed.

Int. J. Environ. Res. Public Health **2020**, *17*(22), 8674; <https://doi.org/10.3390/ijerph17228674>

Submission received: 23 October 2020 / Revised: 14 November 2020 / Accepted: 18 November 2020 /

Published: 22 November 2020

(This article belongs to the Section **Children's Health**)


Download ▾

Browse Figures

Versions Notes

Abstract

We performed a retrospective analysis spanning ten years of pediatric practice focused on patients with variable vaccination born into a practice, presenting a unique opportunity to study the effects of variable vaccination on outcomes. The average total incidence of billed office visits per outcome related to the outcomes were compared across groups (Relative Incidence of Office Visit (RIOV)). RIOV is shown to be more powerful than odds ratio of outcomes. In short, cumulative incidence analyses, matched for days of care, and matched for family history across quantiles of vaccine uptake. Increased office visits related to many diagnoses were observed in matched analyses, family history, gender block, age block, and false discovery risk. Many outcomes showed significant ratios after matching for days-of-care (e.g., anemia (6.334), asthma (3.496), allergic rhinitis (3.529), all significant under the Z-test). Developmental disorders were determined to be significantly low prevalence in the practice, potentially attributable to high rates of vaccine uptake and family history of autoimmunity. Remarkably, zero of the 561 unvaccinated children had attention deficit hyperactivity disorder (ADHD) compared to 0.063% of the (partially and significantly) vaccinated children. These results for the net public health effects of whole-population vaccination on human health are compelling. Our results give agency to calls for research that is independent of any funding sources related to the vaccine industry. While the low prevalence of disorders prevented sufficiently powered hypothesis testing, it is notable that the overall rate of ADHD was roughly half of the national rate. The data indicate that unvaccinated children in the practice are not unhealthier than the vaccinated and indeed the overall results may indicate that the unvaccinated pediatric patients in



The Control Group Study

2020



1472 people who were **NEVER** vaccinated surveyed compared with Public Health Stats conducted in 2020



■ <https://informedconsentdefense.org>

- U.S. National data for approximately 99%+ Vaccinated Population
(CDC, Preventing Chronic Disease. https://www.cdc.gov/pcd/issues/2015/14_0397.htm)
- Pilot survey data for 100% Unvaccinated Control Group
 - ▲ Unvaccinated but exposed to K-shot and/or maternal vaccination
 - ▲ Unvaccinated and unexposed to K-shot and maternal vaccination




2020 Pilot Survey Data Comparison



2020 Pilot Survey Data Comparison

VACCINATED -VS- **UNVACCINATED**

Informed
Choice
WA.org



Get the full PDF here: <https://ia802201.us.archive.org/14/items/20-pdfs-of-web-articles-posted-5-27-22/21graphs%20the%20control%20group%20vaccinated%20vs%20unvaccinated%202020%20Pilot%20Survey%20Data%20Comparison.pdf>



THE CONTROL GROUP
LITIGATION


2020 Pilot Survey Data Comparison



2020 Pilot Survey Data Comparison

VACCINATED -VS- **UNVACCINATED**

Informed
Choice
WA.org



Get the full PDF here: <https://ia802201.us.archive.org/14/items/20-pdfs-of-web-articles-posted-5-27-22/21graphs%20the%20control%20group%20vaccinated%20vs%20unvaccinated%202020%20Pilot%20Survey%20Data%20Comparison.pdf>


2020 Pilot Survey Data Comparison



2020 Pilot Survey Data Comparison

VACCINATED -VS- **UNVACCINATED**

Informed
Choice
WA.org




2020 Pilot Survey Data Comparison



2020 Pilot Survey Data Comparison

VACCINATED -VS- **UNVACCINATED**

Informed
Choice
WA.org




2020 Pilot Survey Data Comparison



2020 Pilot Survey Data Comparison

VACCINATED -VS- **UNVACCINATED**

Informed
Choice
WA.org






2020 Pilot Survey Data Comparison



2020 Pilot Survey Data Comparison

VACCINATED -VS- **UNVACCINATED**

Informed
Choice
WA.org




2020 Pilot Survey Data Comparison



2020 Pilot Survey Data Comparison

VACCINATED -VS- **UNVACCINATED**

Informed
Choice
WA.org






2020 Pilot Survey Data Comparison



2020 Pilot Survey Data Comparison

VACCINATED -VS- **UNVACCINATED**

Informed
Choice
WA.org






2020 Pilot Survey Data Comparison



2020 Pilot Survey Data Comparison

VACCINATED -VS- **UNVACCINATED**

Informed
Choice
WA.org






2020 Pilot Survey Data Comparison



2020 Pilot Survey Data Comparison

VACCINATED -VS- **UNVACCINATED**

Informed
Choice
WA.org



<https://ia802201.us.archive.org/14/items/20-pdfs-of-web-articles-posted-5-27-22/21graphs%20the%20control%20group%20vaccinated%20vs%20unvaccinated%202020%20Pilot%20Survey%20Data%20Comparison.pdf>




2020 Pilot Survey Data Comparison



2020 Pilot Survey Data Comparison

VACCINATED -VS- **UNVACCINATED**

Informed
Choice
WA.org



<https://ia802201.us.archive.org/14/items/20-pdfs-of-web-articles-posted-5-27-22/21graphs%20the%20control%20group%20vaccinated%20vs%20unvaccinated%202020%20Pilot%20Survey%20Data%20Comparison.pdf>




2020 Pilot Survey Data Comparison



2020 Pilot Survey Data Comparison

VACCINATED -VS- **UNVACCINATED**


Informed
Choice
WA.org



2017 Mawson Pilot Comparative Study on Health of 6-12 yr. old U.S. Children

<https://www.oatext.com/Pilot-comparative-study-on-the-health-of-vaccinated-and-unvaccinated-6-to-12-year-old-U-S-children.php>

MAWSON STUDY – 2017




MAWSON STUDY – 2017



May 27, 2020

<https://journals.sagepub.com/doi/full/10.1177/2050312120925344>

% Increased Risk in Vaccinated
Children by 5 years



#11



What about detoxing if
you've already
vaccinated?

What if you or your
child is vaccine-
injured?



VAERS

<http://vaers.hhs.gov/index>

Vaccine Adverse Event Reporting System

**ALL POTENTIAL
VACCINE
INJURIES
SHOULD BE
REPORTED TO
VAERS!!!**



If you or your child has experienced any of these following a vaccine, report it to VAERS immediately!




- Pronounced swelling, redness, heat or hardness at the site of the injection;
- Body rash or hives;
- Shock/collapse;
- High pitched screaming or persistent crying for hours;
- Extreme sleepiness or long periods of unresponsiveness;
- High fever (over 103 F)
- Twitching or jerking of the body, arm, leg or head;
- Crossing of eyes;
- Weakness or paralysis of any part of the body;
- Loss of eye contact or awareness or social withdrawal;
- Loss of ability to roll over, sit up or stand up;

If you or your child has experienced any of these following a vaccine, report it to VAERS immediately!



- Vision or hearing loss;
- Restlessness, hyperactivity or inability to concentrate;
- Sleep disturbances that change wake/sleep pattern;
- Head banging or onset of repetitive movements (flapping, rubbing, rocking, spinning);
- Diarrhea; bloody stool
- Joint pain / Muscle weakness;
- Disabling fatigue;
- Loss of memory;
- Onset of chronic ear or respiratory infections;
- Violent or persistent diarrhea or chronic constipation;
- Breathing problems (asthma);
- Excessive bleeding or anemia.

How to DETOX if you have already vaccinated



- Cilantro as a heavy-metal chelator (never EVER use if you have silver mercury-containing fillings!)


Use Fresh or Essential Oil

- Homeopathic remedies: **Silicea & Thuja**

Please see a Homeopath for direction!

- + everything I suggested to ADD & AVOID

How to DETOX if you have already vaccinated



- Humic & Fulvic Acid (we recommend ION Gut Support or BEAM Minerals)
- Silica
- N-Acetyl Cysteine (NAC) helps the body replenish Glutathione, one of the most important anti-oxidants
- Fiji Water contains more silica which is a mineral which helps with detoxification

Dr. Ardis Covid Vaccine Detox Protocol

Detox Protocol



Dr. Ardis recommends this protocol:

[EDTA - 500mg twice daily](#)
[Apple Pectin - 1400mg daily](#)
[Melatonin - 3-5mg supplement at night](#)
[Zinc - 20-50mg with food twice daily](#)
[Vitamin C - 5000mg/day](#)
[NAC - 500mg twice daily](#)

Use as directed for 3 months. After this time you can take as needed or continue for preventative and beneficial reasons. Dr Ardis and his wife use these products daily to prevent and protect from future exposure or infections.

If you have recently had the V or are dealing with long haul COVID symptoms, Dr. Bryan Ardis, D.C. recommends to use [Nicotine Gum](#) (2 mg) twice a day. Chew for 10 minutes (do this for at least two weeks)

If 2 mg is too powerful detox wise, then cut the 2 mg tablet in half or quarters and do smaller doses twice a day for a couple weeks!

You can also use [Nicotine Patches](#). Cut these 14mg patches into 6 equal smaller sizes as needed to reduce the dosage, wear one daily on ribs or upper arm, swap new ones daily, this is what Dr. Ardis does daily, for preventative use.

If you are experiencing issues with nausea from the Nicotine which can occur in a few users who have never taken Nicotine in any form, reduce the time you use the chewing gum or patch.

These statements have not been evaluated by the Food and Drug Administration. This product and protocol is not intended to diagnose, treat, cure, or prevent any disease.

3-month Covid Vaccine Detox Protocol:

- 500 mg EDTA aka Ethylenediaminetetraacetic acid
- 1400mg Apple Pectin
- 3-5mg Melatonin at night
- 20-50mg Zinc
- 5000mg Vitamin C
- 500mg NAC 2x/day

Also –

Dr. Peter McCullough has a spike protein clearing supplement available

General Vaccine Detox Protocol

(adapted from Dr. Ardis' Covid Vaccine Detox)

3-month Adult Vaccine Detox Protocol:

(Dosages need to be adjusted for children,
not for babies)


- 500 mg EDTA aka Ethylenediaminetetraacetic acid
- 1400mg Apple Pectin (eat tons of fiber)
- 20-50mg Zinc
- 5000mg Vitamin C
- 500mg NAC 2x/day
- Sweat daily
- Make sure your lymphatic system is working really well (ask for our lymphatic article)
- Each night before bed take a good BINDER like activated charcoal

Immune Support IF you are considering a Vaccine

- 1000 iu/lb (body weight) Vitamin A, 3 days before & after any vaccine
- 10mg/lb (body weight) Vitamin C, 3 days before & after any vaccine
- **“To wake up the white blood cells to absorb the toxins & help the body eliminate it as best as possible”**
 - **Dr. Sherry Tenpenny – interview on Best in Health talk radio show**




What if my child is Vaccine Injured???



- There is HOPE!
- These children must have their gut restored & healed with proper bacteria
- The immune system needs extreme care to be built because most children never got the proper immune system built in the first place
- Heavy metals must be detoxed

What if my child is Vaccine Injured???




- These are just a few examples:
 - Special, strict diets
 - GAPS, SCD, Keto, etc...
 - All manner of therapies
 - Camel's milk (high in IgA & closest to human milk) www.desertfarms.com
 - Proper supplements
 - CBD or Cannabis Oil in some cases
 - The list continues to grow and improve as more and more children are being healed


The Side of Healing Most People Ignore...the Spiritual

If there were any resource other than the Word of God specifically that I could recommend about understanding healing from a Biblical perspective, this is it.

The Prayer of Freedom
By Beatty Carmichael




The Side of Healing Most People Ignore...the Spiritual



- If you need help beginning to pray for spiritual freedom for your family from generational or bloodline curses from:
 - Generational Iniquities that defile the land:
 - Idolatry
 - Innocent Bloodshed
 - Broken Covenants
 - Sexual Immorality
 - Witchcraft – you or in your family line
 - Freemasonry – you or in your family line
 - Emotional/Sexual Trauma(s)
 - Soul Ties

Biblical Spiritual-Healing Resources for issues on previous slide:



<https://nolongerenslaved.com/blogs/videos/iniquity-the-gateway-to-territorial-strongholds>

<https://snatchedfromtheflames.com/resources/>

<https://web.archive.org/web/20190717034150/http://www.isaiah54.org/free-masonry.html>



#12

How do you build your
child's immune
system & yours so it
can handle any threat?
+ Vaccine Alternatives
and Alternative
Schedules




V A C C I N E S

Build your child's health

Did you say...

LET My Kid Get Sick???




- “One of the best ways to ensure your children's health is to allow them to get sick. At first hearing, this concept may sound outrageous. Yet childhood illnesses, such as measles, mumps, and even whooping cough, may be of key benefit to a child's developing immune system and it may be inadvisable to suppress these illnesses with immunizations. Evidence is also accumulating that routine childhood vaccinations may directly contribute to the emergence of chronic problems such as eczema, ear infections, asthma, and bowel inflammations.”

Dr. Philip Incao, M.D.

Building the Immune System


Things to **ADD** from the START



- Start with a clean diet while Mom is pregnant
- **VAGINAL birth**
- **Breastfeed, Breastfeed, Breastfeed!** For 2 years is a minimum that the WHO recommends for optimal immune system benefit
- Have your child's spine & nervous system checked regularly by your Chiropractor (icpa4kids.org)
- Build your child's gut strength with Probiotics and fermented foods for YOU if you're nursing & for child when they're weaned

Building the Immune System

Things to **ADD** as they grow




- Flush toxins with regular filtered Water consumption (removing Fluoride i.e. specific filtering is needed)
- Minerals
- Protecting their gut from Glyphosate specifically: Humic/Fulvic Acid from minerals
 - ION Gut Support, BEAM Minerals
- Get out in the sunshine!! Vitamin D₃ is crucial to immunity
- Move, Move, Move – exercise builds immunity

ION Gut Support




- ❖ Seal the Gut
- ❖ Heal the Gut
- ❖ Protect the Immune System from:
 - Glyphosate exposure
 - Antibiotic Exposure




Building the Immune System

Things to **ADD**




- Zinc (always take with food)
- Vitamin C
- Olive Leaf Extract
- Lots of organic fruits & vegetables, pasture-raised meats and eggs
- Vitamin A (Cod Liver Oil has naturally occurring Vitamin A + Omega 3)
- Nicotine ☺ I'll explain...

Nicotine



- Yes, you read that word correctly. Dr. Brian Ardis has been instrumental in collecting research proving the use of Nicotine in assisting the body in both PREVENTING & RECOVERING from Viruses.
- Harvard published a study in 2016 proving that Pirizines (chemicals added to tobacco products) are addictive, not nicotine.
- <https://pubmed.ncbi.nlm.nih.gov/26063608/>

Nicotine




- How to dose it?
 - Age 2-12
 - 1mg patch, Rugby Brand is recommended
 - Stick between shoulder blades
 - Age 13+
 - 3.5mg patch

- Foods that contain Nicotine:
 - Tobacco, Eggplant, Tomatoes, White Potato

Building Immune System

Things to **AVOID**



- Avoid drugs & interventions during pregnancy, labor & delivery
- Avoid unnecessary antibiotics
 - In vaccines
 - For ear infections
 - Try garlic oil with mullein in the ear(s)
 - Get your child adjusted
 - Lymphatic cream by Rowe Casa or Kedem Tanukh oil around the ear externally

Building Immune System


Things to **AVOID**



- Avoid ALL wheat, dairy, corn & soy in your child's 1st 18 months of life (this includes HFCS), then ONLY Organic wheat & corn, Raw Organic Dairy/Goat's Milk
- Avoid grains (especially wheat), pasteurized dairy, & soy PERIOD. (follow SCD and/or Paleo diets)
- Avoid all refined Sugar in your child's 1st 18 months and strictly limit it after 18 months (use local raw honey for example after age 1)


Building Immune System

Things to **AVOID**




- Avoid genetically modified foods (GMOs)
- Avoid processed foods, preservatives, dyes, or flavorings
- Avoid other OTC or Rx drugs & vaccines
- Avoid Antibacterial soaps
- Avoid Sustained High Stress
 - Emotional, chemical or physical

Measles




- Dr. Suzanne Humphries recommends:
 - 400,000 units of Vitamin A/day to help recovery & prevent secondary infections
 - Measles makes the body consume massive amts of Vit. A & that can cause the issue with eye sight if you don't supplement
 - Source: <https://rumble.com/v55zchi-dr.-suzanne-humphries-lecture-on-vaccines-and-health-part-1-2014.html>
 - 45 minute mark

Whooping Cough




- The study led by infectious disease specialist, Dr. David Witt, he says “What was very surprising was the majority of cases were in fully vaccinated children.”
- Glaxo-Smith-Kline never performed long-term studies of its effectiveness
- Dr. Tom Clark, medical epidemiologist with the CDC said “It is likely if we move doses around we’d shift the burden of disease, but not necessarily reduce it.”
- According to the NY Times, vaccination rates for whooping cough (pertussis) have remained steady while cases of whooping cough have skyrocketed in the state of NY.

Overcoming Whooping Cough Naturally



- Family in Minnesota, 3 unvaccinated children contracted from a vaccinated child at daycare. Quoting Mom, Cheryl G.:
- “The biggest thing was tackling the fear, the financial impact, sleepless nights for the momma, and boredom of staying home for 21 days. It wasn't the illness.
- Treatment-wise; understanding the pathology of the disease (there's 3 stages) was helpful - just in treating it, and confirming my resolve to not vaccinate and not take the shortcut of antibiotics (lifetime immunity, having your gut in tip-top shape to fend the bacteria off, etc).
- I absolutely am convinced we had it easy because of our lifestyle. I would be afraid if we lived a "conventional" life.


Overcoming Whooping Cough Naturally



...So, treatment-wise: still quoting Cheryl G...


- 1. No sugars (fruit/honey/etc either)
- 2. Nutrition testing and adjustments 2x/week. “The disease has 3 stages and looking at what supplements Jen/Dad were prescribing seemed to follow the logic of what was happening in the body - and it was different for each of the 3 kids.”
- 3. Homeopathic cough syrups – “I don't know a ton about homeopathy, but from what I read we were able to use it fairly effectively...but a trained homeopath might have been helpful had our symptoms been worse.”
- 4. Tons and tons of bone broth based soups. “No/none/nada dairy - made phlem 100% times worse for us.”

What to do about Tetanus?




- Much more an issue of wound cleanliness than anything else!!!
- Clean wounds immediately, let them bleed to release bacteria & Oxygenate the tissue
- Use Hydrogen Peroxide to clean & disinfect the dirty wound
- Apply bentonite clay or activated charcoal to absorb toxins

What to do about Tetanus?



- Barbara O'Neill Remedy for puncture wound healing, to help heal from the INSIDE-OUT:
 - Grate a white potato
 - Apply the grated potato to the wound
*AFTER PROPER INITIAL CLEANING
 - Wrap it and change daily for 3 days

What about Tetanus Shots?




- Tetanus Shots **DO NOT** Address immediate Tetanus infections!!
- **Tetanus Immunoglobulin (TIG)** provides immediate protection against tetanus, but the protection is only temporary because the body gradually loses the antibodies from this product naturally and does not make its own antibodies in response to immunoglobulin.
 - ***Often made with “Human Plasma”, I cannot find the other ingredients
- **Homeoprophylaxis (HP)** is another option! (See slide on that)
- Tetanus Vaccine is **always** combined with other vaccines
 - Under 7 years old: DTaP is your **ONLY** option
 - 7 yrs + : you can get a TD (which does not contain Pertussis)

Tetanus & IV Vitamin C



- <https://pubmed.ncbi.nlm.nih.gov/18425960/>
- **Vitamin C for preventing and treating tetanus;** H Hemilä, T Koivula
- 117 Tetanus patients in Bangladesh 2013, Authors note that this is a considerable reduction in mortality but they have concern about the trial quality and new trials should be done.
- Children 1-12 = 100% prevention of mortality treating Tetanus with IV Vitamin C
- 13-30 year olds had a 45% reduction in mortality when treating Tetanus with IV Vitamin C

What about Tetanus Vaccines?




- All you could ever want to know about Tetanus Vaccines:
 - Series taught by Dr. Suzanne Humphries
 - <https://rumble.com/v55zchi-dr.-suzanne-humphries-lecture-on-vaccines-and-health-part-1-2014.html>
 - <https://drsuzanne.net>

1992 British Medical Journal

*“Childhood cancer, intramuscular vitamin K,
and pethidine given during labour.” –
Golding, Greenwood, Birmingham, Nott*



- “CONCLUSIONS: the only 2 studies so far to have examined the relation between childhood cancer and intramuscular vitamin K have shown similar results, and the relation is biologically plausible. The prophylactic **benefits** against hemorrhagic disease **are unlikely to exceed the potential adverse effects** from intramuscular vitamin K. Since oral vitamin K has major benefits but no obvious adverse effects this could be the prophylaxis of choice.”



Vaccine Alternatives & Alternative Schedules

Better Vitamin K Alternatives



- Mom's diet full of green leafy veggies in the weeks leading up to birth, transferred through placenta
- Oral Vitamin K
 - Less absorbed than from the Mother's Placenta, but still an alternative
- “It's just another way to inject a child with pharmaceuticals, in my opinion.”
Dr. Irvin Sahni, M.D. The Truth about Vaccines, episode 4

8th Day Circumcision & Vitamin K for clotting



- And he that is eight days old shall be circumcised among you, every man child in your generation, he that is born in the house, or bought with money of any stranger, which is not of your seed" Genesis 17:12 (KJV)
- “Conclusively, it is of medical importance that male circumcision be carried out on the eighth day after birth since the level of vitamin K is highest on this day and vitamin K plays a pivotal role in regulation and control of the important clotting factors in the coagulation pathway that helps in stopping bleeding.”
- https://www.researchgate.net/publication/321462229_Haematological_Basis_of_8th_Day_Male_Child_Circumcision_in_The_Holy_Bible

Homeoprophylaxis (aka “HP”)

- **Alternative option for vaccination which is Homeopathic**
- **Cilla Whatcott, HD RHom, CCH, PhD** is a classical homeopath, instructor at Normandale Community College, mother of several adopted children from around the world and advocate for safer healthcare. She can be reached through the website <https://cillawhatcott.net>.
- Cilla can be contacted to offer individualized homeoprophylaxis programs for travel or childhood diseases at homeopath2@comcast.net.



Alternative Schedule Considerations


- **Never allow your child to be given a vaccine if he/she is sick or teething!**
- **Allow only 1 vaccine at a time**
- **Some parents wait until child is at least 2 years old before giving any vaccines, then only 1 at a time & longer between**
- **Wait longer between vaccines**
- **NEVER EVER let someone talk you into “catching up” to the vaccine schedule**



DANGERS

of giving Tylenol to a child before/after vaccination

- **This is a sure-fire way to make sure the child cannot detox the toxins out of his/her system**
- **Acetaminophen is processed in the Liver**
- **It depletes the human body of Glutathione, an enzyme necessary to rid the body of toxins**
- **Baby Tylenol, Children's Tylenol, or adult Tylenol compromises the body's ability to detoxify**
- **Testosterone magnifies the negative effects of Acetaminophen in boys**



Jennifer Margulis, Ph.D., co-author of The Vaccine-Friendly Plan: Dr. Paul's Safe and Effective Approach to Immunity and Health, From Pregnancy Through Your Child's Teen Years (Ballantine, August 23, 2016)

Alternatives to Booster Shots

- A simple **Blood Titer Test** can measure the level of antibodies to certain diseases
- This is a great alternative to getting booster shots...if your child's immune system already recognizes the disease – **WHY WOULD YOU PUT MORE TOXIC SUBSTANCES IN THEM with more vaccines?**



What do I say to medical professionals who pressure me?

- For Babies/Children: You can tell them you have already finalized your decision to do a “**delayed schedule**” for vaccination
- For Adults: Simply, “No Thank You.”
- End of discussion.
- **You are FREE in Texas to choose.**



Non-Vax or Delayed-Vax Friendly Pediatricians near us

- For traditional Medical Care:
 - First Step Pediatrics, Cleburne
 - Dr. Aman Arouse
- For Functional Medicine:
 - Shine Pediatrics
 - FW & Richardson locations



**TAKE
ACTION**

Go to NVICAdvocacy.org

sign up to stay informed
about your state's
legislative actions
regarding vaccine law.



National
Vaccine
Information
Center

NVIC ADVOCACY PORTAL

[HOME](#)

[STATE TEAMS](#)

[RESOURCES](#)

[MEMBERS](#)

[DIRECTORS](#)

[NATIONAL](#)

[NVIC.ORG](#)



You are here: [Home](#)

[Register](#) | [Login](#)

Advocacy Guide

A Guide to Reforming
Vaccine Policy and Law

This guide explains the basis for the legislative work we do with the NVIC Advocacy Program to protect and expand vaccine exemptions. You can use this 55 page referenced guide with legislators and policy makers to help educate them about the importance of the bills we advocate for or against.

Welcome to the NVIC Advocacy Portal (NVICAP)

Achieving and protecting the right to informed consent to vaccination is more important now than ever before, and we need your help to make that happen. NVIC wants to help you, our members, to organize and make a difference in your home state right where you live to protect and expand vaccine exemptions. It is at the state level that mass vaccination policies are made, and it is at the state level where your action to protect your rights can have the greatest impact. Also, when national vaccine issues occur, you will be plugged in to the information and action items necessary to make sure your voice is heard.

Register to be an NVIC Advocacy Team Member: Just minutes of your time on letters, emails, and phone calls to your state legislators and the media can make the difference. NVIC will send you advocacy alert emails when action is needed to support efforts in your own state and nationally on important legislation and policy to protect and expand vaccination exemption laws. We will provide you with the steps, tools and connection to leaders and organizations to help you make a positive impact on your rights to exercise informed consent in the vaccination decision making process.

With your registration information, we are able to calculate exactly who your elected officials are and display direct links to connect you to them on your personal view of your

Help Us Continue our Advocacy and Education Work

Make a donation to the National Vaccine Information Center! Membership and use of the NVIC Advocacy Portal are free, but we count on your donations to make this happen.


[Donate to NVIC](#)

in TEXAS...



No Shots, No School ...
NOT TRUE!!!


KNOW the facts ... KNOW your rights ... KNOW the law ...





Exemption for Reasons of Conscience

for daycare, school or college



Mailing Address

Department of State Health Services
Immunization Branch (MC 1946)

P.O. Box 149347

Austin, TX 78714-9347

Fax

(512) 776-7544

Print Exemption PDF Online:
(or got to our link on the Clearview Vax Ed
page)

https://www.dshs.texas.gov/sites/default/files/LIDS-Immunizations/pdf/pdf_stock/f11-11755.pdf

Recommended Websites



www.NVIC.org

www.TheHighwire.com

www.ChildrensHealthDefense.org

www.VaxxedTheMovie.com

<https://drsuzanne.net>

MUST LISTEN/WATCH!!!!!!!!!!!!!!



Podcast Episode

#1999 - Robert Kennedy, Jr.

The Joe Rogan Experience

Jun 15 · 3 hr 5 min left



Episode Description

Robert F. Kennedy, Jr. is an attorney, founder of the Waterkeeper Alliance and Children's Health Defense, author, and 2024 candidate for the office of the President of the United States of America.

www.kennedy24.com

MUST LISTEN/WATCH!!!!!!!!!!!!!!

Home / Newsletter / 1986 Myths vs Facts

1986 National Childhood Vaccine Injury Act: MYTH vs. FACT

By Barbara Loe Fisher

Published January 04, 2024 in Government



The 1986 National Childhood Vaccine Injury Act created by members of Congress after more than four years of deliberation with vaccine stakeholders, including parents of vaccine injured children, medical trade associations, public health agencies, vaccine manufacturers, and Administration officials, was signed into law as part of an Omnibus health bill by President Ronald Reagan on Nov. 14, 1986. The Act's provisions specifically applied to federally licensed and recommended vaccines for children routinely mandated by states for school attendance.

[1986 National Childhood Vaccine Injury Act \(with subsequent amendments attached after the law was passed by Congress\).](#)

Interview with Barbara Lowe Fisher and Del Bigtree from Jan. 4, 2024

View it for FREE here:

2 hrs. 18 min.

<https://www.nvic.org/newsletter/jan-2024/1986-myths-vs-facts>



MUST LISTEN/WATCH!!!!!!!!!!!!!!



THE HIGHWIRE


/// We're sharpening our digital tools! Introducing our sleek and powerful new video player for an even better experience. [Share your thoughts!](#)

THE DEPOSITION OF STANLEY PLOTKIN




<https://thehighwire.com/ark-videos/the-deposition-of-stanley-plotkin/>




Recommended Documentaries



Recommended Documentaries



Recommended Documentaries



Recommended Documentaries



Recommended Books



- A Shot in the Dark, Barbara Lowe Fischer
- How to End the Autism Epidemic, J. B. Handley
- Vaccines on Trial, Mary Holland
- Saying No to Vaccines: A Resource Guide for All Ages, Dr. Sherri Tenpenny
- How to Raise a Healthy Child in Spite of Your Doctor, Robert S. Mendelsohn, M.D.



WATCH

NEWS

EDITORIAL

RESOURCES

COMMUNITY

SHOP

CONTACT

Recommended
Website!!

Episode 276: TURNING THE TIDE

WATCH NOW

Recommended Newsletters



SteveKirsch.substack.com

MeganRedshaw.substack.com





The **TRUTH** *About* **VACCINES**™

- Episode 1: The History of Vaccines, Smallpox, Vaccine Safety & the Current CDC Schedule
- Episode 2: What's in a Vaccine? Are Vaccines Effective? ... and ... What About Polio?
- Episode 3: In Depth Analysis of the MMR and DTaP Vaccines & Vaccinating for the Greater Good
- Episode 4: Examining Influenza, the HIB and Pneumococcal Vaccines & Herd Immunity
- Episode 5: Considering the HPV and Hepatitis B Vaccines, SIDS & Shaken Baby Syndrome
- Episode 6: A Closer Look at the CDC, Chicken Pox and Rotavirus Vaccines & Retroviruses
- Episode 7: Natural Immunization, Homeoprophylaxis & Fundamental Freedom of Choice


“Lessons from the Lockdown”

6/18/2020

<https://childrenshealthdefense.org/news/lessons-from-the-lockdown-why-are-so-many-fewer-children-dying/>

Was this a protective effect of school closures? Were teenagers getting themselves into risky situations at a lower rate? No. There was very little effect among school age children or adolescents. [3]

Virtually the entire change came from infants. Somehow, the changing pattern of American life during the lockdowns has been saving the lives of hundreds of infants, over 200 per week.



Dr. Sharla's Message to you...



- My faith is in the Creator who made the body fearfully & wonderfully. (Psalm 139)
- My faith is NOT in a syringe full of toxic cocktails.
- My faith is NOT in the group of individuals and government bureaucracies with MUCH to gain if my child is vaccinated.
- I have nothing to gain if you don't vaccinate your child. My gain is knowing that you have heard the other side of the story. My gain is knowing that I have shared what I believe is critical for the future of our babies and the health of our nation.
 - Now it's your turn to do the research for yourself & **MAKE AN INFORMED CHOICE.**

Trust Your Gut Instincts & Pray for Wisdom



James 1:5-6

- ⁵ But if any of you lacks wisdom, let him ask of God, who gives to all without hesitation and without reproach; and it will be given to him. ⁶ But let him ask in faith, without any doubting—for the one who doubts is like a wave of the sea, blown and tossed by the wind.

Psalm 139:13-14 NLT

- You made all the delicate, inner parts of my body and knit me together in my mother's womb.
Thank you for making me so wonderfully complex!

John 8:32 NLT

- And you will know the truth, and the truth will set you free.

Access ALL Links in this power point here:



Scan me



The End